



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/807,186	03/24/2004	Masaki Kinoshita	250838US-2CONT	2532
22850	7590	09/22/2006	EXAMINER	
C. IRVIN MCCLELLAND OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C. 1940 DUKE STREET ALEXANDRIA, VA 22314			KIM, RICHARD H	
			ART UNIT	PAPER NUMBER
			2871	

DATE MAILED: 09/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

*Supplemental*

<b>Notice of Allowability</b>	Application No.	Applicant(s)
	10/807,186	KINOSHITA ET AL.
	Examiner	Art Unit
	Richard H. Kim	2871

-- *The MAILING DATE of this communication appears on the cover sheet with the correspondence address--*

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 5/15/06.
- The allowed claim(s) is/are 1,3-5,7,8,20 and 47-51.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - All
  - Some\*
  - None of the:
  - Certified copies of the priority documents have been received.
  - Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  
1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - including changes required by the attached Examiner's Amendment / Comment or in the Office action of  
Paper No./Mail Date \_\_\_\_\_.Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- Notice of References Cited (PTO-892)
- Notice of Draftperson's Patent Drawing Review (PTO-948)
- Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
- Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
- Notice of Informal Patent Application (PTO-152)
- Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_.
- Examiner's Amendment/Comment
- Examiner's Statement of Reasons for Allowance
- Other \_\_\_\_\_.

**DETAILED ACTION**

1. This communication corrects the typo issued in the Notice of Allowability mailed 7/26/06. The correct listing of the allowed claims is listed in this communication.

***Allowable Subject Matter***

1. Claims 1, 3-5, 7, 8, 20 and 47-51 allowed.
2. The following is an examiner's statement of reasons for allowance: The prior art of record, taken alone or in combination, fails to teach or disclose in light of the specifications, 1) a display apparatus wherein each of the glass substrate is formed to have a thickness that permits bending of the display apparatus, wherein the thickness of each of the glass substrates is 0.15 mm or less and 2) a display apparatus where each of the glass substrate is formed to have a thickness that permits bending of the display apparatus, wherein the display apparatus is formed to be bendable with a radius of curvature of 200 mm or less.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Richard H. Kim whose telephone number is (571)272-2294. The examiner can normally be reached on 9:00-6:30 M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571)272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Richard H Kim  
Examiner  
Art Unit 2871

RHK

*Andrew Schechter*  
ANDREW SCHECHTER  
PRIMARY EXAMINER